

H-50 Mini Fiber Optic Illuminator

Description:

This H-50 mini halogen fiber optic illuminator is an cost-effective and room-saving halogen fibre optic illuminator perfect for interior applications such as fiber optic star ceilings, cabinet lighting, bar lighting etc.

Details

- Non-Weatherproof
- Motor stop switch
- UV and IR filter
- up to 4000h life
- Supplied with 6 colour wheel or twinkle wheel



Specifications

Input Voltage:	210 ~ 240 VAC 50/60Hz
Rated Power:	65W
Construction:	Silver stainless steel
Effect Wheel:	6 Colour Wheel: (white, purple, yellow, blue, green, orange, red)
Motor Speed:	1 RPM
Motor Switch:	240V power plug to allow switching via wall plate or home automation systems 'Colour Select' button on front of unit
Lamp:	50W, 12V Halogen lamp
Fibre Capacity:	400 x 0.75mm fibres maximum
Environment:	Ambient operating temperature of -10° to +35° C Indoor use only
Filters:	Combined IR and UV
Dimensions:	190mm L x 90mm W x 94mm H
Weight:	2 kg

Typical Applications

- Fiber Optic Star Ceilings
- Fiber Optic Cabinet lighting
- Fiber Optic Decorative lighting
- Landscape lighting
- Bar lighting

H-75 Mini Fiber Optic Illuminator

Description:

This H-75 mini halogen fiber optic illuminator is an cost-effective and room-saving halogen fibre optic illuminator perfect for interior applications such as fiber optic star ceilings, cabinet lighting, bar lighting etc.



Details

- Non-Weatherproof
- Motor stop switch
- UV and IR filter
- up to 4000h life
- Supplied with 6 colour wheel or twinkle wheel

Specifications

Input Voltage:	210 ~ 240 VAC 50/60Hz
Rated Power:	100W
Construction:	Silver stainless steel
Effect Wheel:	6 Colour Wheel: (white, purple, yellow, blue, green, orange, red)
Motor Speed:	1 RPM
Motor Switch:	240V power plug to allow switching via wall plate or home automation systems 'Colour Select' button on front of unit
Lamp:	75W, 12V Halogen lamp
Fibre Capacity:	450 x 0.75mm fibres maximum
Environment:	Ambient operating temperature of -10° to +35° C Indoor use only
Filters:	Combined IR and UV
Dimensions:	190mm L x 120mm W x 85mm H
Weight:	1.8 kg

Typical Applications

- Fiber Optic Star Ceilings
- Fiber Optic Cabinet lighting
- Fiber Optic Decorative lighting
- Fiber Optic Sign lighting
- Bar lighting

H-100 Mini Halogen Fiber Optic Illuminator

Description:

This H-100 mini halogen fiber optic illuminator is an cost-effective and room-saving halogen fibre optic illuminator perfect for interior applications such as fiber optic star ceilings, cabinet lighting, bar lighting etc.



Details

- Non-Weatherproof
- Motor stop switch
- UV and IR filter
- up to 4000h life
- Supplied with 8 colour wheel or twinkle wheel

Specifications

Input Voltage:	210 ~ 240 VAC 50/60Hz
Rated Power:	120W
Construction:	Silver stainless steel
Effect Wheel:	8 Colour Wheel: (white, purple, yellow, blue, green, orange, sky-blue and grass green) Twinkle Wheel: (mesh wheel with white and fragments of blue)
Motor Speed:	1 RPM
Motor Switch:	240V power plug to allow switching via wall plate or home automation systems 'Colour Select' button on front of unit
Lamp:	100W, 12V Halogen lamp
Fibre Capacity:	450 x 0.75mm fibres maximum
Environment:	Ambient operating temperature of -10° to +35° C Indoor use only
Filters:	Combined IR and UV
Dimensions:	240mm L x 130mm W x 105mm H
Weight:	3.0 kg


Typical Applications

- Fiber Optic Star Ceilings
- Fiber Optic Cabinet lighting
- Fiber Optic Decorative lighting
- Fiber Optic Sign lighting
- Bar lighting

Just use your imagination !



For more fiber optic lighting applications, please visit: http://www.bones-electronics.com/e_products/?big_id=14



Bones Electronics Co., Ltd Tel: +86-28-6218 0522
Add.: Chongzhou Industrial Development Zone, Chengdu, Sichuan 611230 PR., China
E-mail: sales@bones-electronics.com <http://www.bones-electronics.com>
Copyright 2012 © Bones Electronics Co., Ltd All Rights Reserved