

H-75W Halogen Fiber Optic Illuminator

Description:

This H-75W fiber optic illuminator is an cost-effective halogen fibre optic illuminator perfect for interior applications such as fiber optic star ceilings, cabinet lighting, bar lighting etc.

Remark: This 75W halogen fiber optic illuminator can be equipped with a DMX512 control interface, which is named H-75WD.



Details

- Non-Weatherproof
- Solid aluminium body
- Supplied with 8 colour wheel or twinkle wheel
- With a DMX512 interface(optional)
- UV and IR filter

Specifications


Input Voltage:	210 ~ 240 VAC 50/60Hz
Rated Power:	100W
Construction:	Black and silver aluminium
Effect Wheel:	8 Colour Wheel: (white, purple, yellow, blue, green, orange, sky-blue and grass green) Twinkle Wheel: (mesh wheel with white and fragments of blue)
Motor Speed:	1 RPM
Motor Switch:	240V power plug to allow switching via wall plate or home automation systems 'Colour Select' button on front of unit
Lamp:	Osram 100W Photo-Optic Halogen lamp
Fibre Capacity:	500 x 0.75mm fibres maximum
Environment:	Ambient operating temperature of +5° to +40° C Indoor use only
Filters:	Combined IR and UV
Dimensions:	240mm L x 200mm W x 125mm H
Weight:	3 kg

H-100W Halogen Fiber Optic Illuminator

Description:

This H-100 fiber optic illuminator is an cost-effective halogen fibre optic illuminator perfect for interior applications such as fiber optic star ceilings, cabinet lighting, bar lighting etc.

Remark: This 100W halogen fiber optic illuminator can be equipped with a DMX512 control interface, which is named H-100WD.



Details

- Non-Weatherproof
- Solid aluminium body
- Supplied with 8 colour wheel or twinkle wheel
- With a DMX512 interface(optional)
- UV and IR filter

Specifications

Input Voltage:	210 ~ 240 VAC 50/60Hz
Rated Power:	130W
Construction:	Black and silver aluminium
Effect Wheel:	8 Colour Wheel: (white, purple, yellow, blue, green, orange, sky-blue and grass green) Twinkle Wheel: (mesh wheel with white and fragments of blue)
Motor Speed:	1 RPM
Motor Switch:	240V power plug to allow switching via wall plate or home automation systems 'Colour Select' button on front of unit
Lamp:	Osram 100W Photo-Optic Halogen lamp
Fibre Capacity:	500 x 0.75mm fibres maximum
Environment:	Ambient operating temperature of +5° to +40° C Indoor use only
Filters:	Combined IR and UV
Dimensions:	240mm L x 200mm W x 125mm H
Weight:	3 kg

Typical Applications

- Fiber Optic Star Ceilings
- Fiber Optic Cabinet lighting
- Fiber Optic Decorative lighting

- Landscape lighting
- Bar lighting



Bones Electronics Co., Ltd Tel: **+86-28-6218 0522**
Add.: Chongzhou Industrial Development Zone, Chengdu, Sichuan 611230 PR., China
E-mail: sales@bones-electronics.com <http://www.bones-electronics.com>
Copyright 2012 © Bones Electronics Co., Ltd All Rights Reserved